

D Ring 1/4 Stainless Steel Camera Tripod Screw For Hidden Camera Mounting

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: FinExpress
- Certification: SGS,RoHS,ISO9001
- Model Number: camrea tripod mounting screw
- Minimum Order Quantity: 100000
- Price: \$0.30/pieces 1000-9999 pieces
- Packaging Details: 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet ,
2.Carton size:28cm*18cm*13cm,
3.Wood pallet size:118cm*113cm,Weight:700~800Kg
Bulk:0.8 cubic
4.The weight of 20 FT Container:20~25 Tons
5,As your requirements
- Delivery Time: 7~15 Working Day
- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 500000000 Piece/Pieces per Week



Product Specification

- Finish: Black Oxide
- Material: Stainless Steel, Steel
- Measurement System: Metric
- Head Style: D Ring
- Standard: DIN,ISO,GB,DIN,BS,ANSI,JIS, Non-standard
- Product Name: D Ring Camera Tripod Screw Hidden Camera Mounting Screw
- Size: M1-M36 According To Customer Requirements
- Grade: 4.8, 6.8, 8.8,10.9,12.9, Etc
- Service: OEM Customized Degin
- Delivery Time: 15-20 Working Days
- Reliability Test: Mechanical Dimensions, Hardness Test.Salt Spray Endurance Test
- Package: Small Packing+Carton Packing+Pallet
- Port: Shenzhen, Guangzhou



More Images



Product Description

D Ring 1/4 Stainless Steel Camera Tripod Screw For Hidden Camera Mounting

**FINEX | Fine and Express
FASTENERS**




Our D Ring 1/4 Stainless Steel Camera Tripod Screw is crafted from premium - grade stainless steel. Stainless steel is renowned for its exceptional durability, corrosion resistance, and strength. The use of stainless steel in this product ensures that it can withstand various environmental conditions, making it suitable for both indoor and outdoor hidden camera mounting applications. Whether the camera is installed in a humid environment, near water sources, or in areas with temperature fluctuations, the stainless - steel screw will not rust or corrode over time. This long - lasting quality provides a reliable and stable connection for your hidden camera, ensuring its continuous operation without the risk of loosening due to material degradation.

Precise 1/4 - Inch Size

The 1/4 - inch size of this screw is a standard dimension in the camera industry, specifically designed to fit most camera tripod mounts and hidden cameras. This standardized size offers a perfect fit, ensuring a secure and stable connection. It allows for easy installation and removal of the camera from the tripod or other mounting surfaces. The precise threading of the 1/4 - inch screw ensures a tight and vibration - resistant hold, which is crucial for hidden cameras that need to capture clear and stable footage. Whether the camera is used for surveillance, monitoring, or other applications, the 1/4 - inch size provides the necessary compatibility and reliability.

Distinctive D - Ring Design

The D - ring design of this screw adds a unique and practical feature. The D - ring provides an additional attachment point, allowing you to easily connect other accessories or secure the camera in place using a lanyard, cable, or other fastening methods. This is especially useful for hidden camera mounting, as it offers more flexibility in terms of installation and positioning. For example, you can use the D - ring to attach a



security cable to prevent the camera from being stolen or to connect it to a hidden mounting bracket for a more discreet installation. The D - ring also makes it easier to handle the screw during installation, providing a convenient grip.

Ideal for Hidden Camera Mounting

Specifically designed for hidden camera mounting, this screw is an essential component for any surveillance or monitoring setup. Hidden cameras often need to be installed in inconspicuous locations, and the small size and discreet design of this screw help to maintain the camera's covert nature. The screw's ability to provide a secure connection ensures that the camera remains in place, even in areas where it may be subject to movement or vibration. Whether the hidden camera is installed in a business establishment, a residential property, or an industrial facility, our D Ring 1/4 Stainless Steel Camera Tripod Screw offers a reliable and effective mounting solution.

Versatile Application Scenarios

In addition to hidden camera mounting, this screw can also be used in a variety of other applications. It can be used to attach small cameras to drones, providing a stable platform for aerial photography or videography. It can also be used in DIY projects where a secure and adjustable camera mount is required, such as in homemade time - lapse setups or remote - controlled camera systems. The versatility of this screw makes it a valuable tool for photographers, videographers, and DIY enthusiasts alike.

Rigorous Quality Control

Quality is our top priority. Every D Ring 1/4 Stainless Steel Camera Tripod Screw undergoes a rigorous quality control process. We start by carefully sourcing the highest - quality stainless - steel raw materials, ensuring they meet strict industry standards. During the manufacturing process, the production of each screw is closely monitored to ensure precise threading, accurate D - ring dimensions, and overall product integrity. After production, each screw is inspected for any defects, and its mechanical properties are tested to ensure it can withstand the demands of camera mounting applications. This commitment to quality ensures that you receive a reliable product that performs flawlessly in your projects.

Exceptional Customer Support

Our dedicated customer service team is here to assist you. Whether you have questions about the product's compatibility with specific hidden cameras, need advice on installation techniques, or have any concerns regarding the product's performance, we're just a message or call away. We pride ourselves on providing prompt and detailed responses to all inquiries, ensuring that you have the information you need to make informed decisions. From the moment you consider purchasing our screw to after - sales support, we aim to make your experience with our products as smooth and satisfactory as possible.

Choose our D Ring 1/4 Stainless Steel Camera Tripod Screw for your hidden camera mounting needs and experience the perfect blend of quality, reliability, and versatility.



Pozi



Phillips



**Anti-theft
Triangle**



Slotted



Hex Socket



Torx



**Torx-internal
Tamber proof pin**



**H type
anti theft**



Tri-wing



**Two-Hole
Tamber proof**



**One way
anti theft**



**Square Slot
Combination**



**Phillips Slot
Combination**




**Slot 6 Lobe
Combination**



**Tri-wing internal
Tamber proof pin**



Blue Zinc



Yellow Zinc



White Zinc



Black Zinc



Nickel Plated



Black Oxide



Anodizing



Dacromet



**Black
Electrophoresis**



Antique Bronze



Green



Baking Finish



What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening




Specification

	More Detail Informations
Available Material	1.Stainless Steel: SS303, SS304, SS316, SS410, SS420; 2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045; 3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70 ; 4.Aluminum: Al6061, Al6063 etc or as your requirements
Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling,you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS

Why Choose Us

NO1.Drive compariason



Our screws: cross recess drive remains intact after repeatedly used.

VS



Bad screws on the market: cross recess drive cannot be used after repeatedly used, they may slip or tear out the Philips screw head.

NO2.Torque comparison



Our screws: Nylon patch is high quality, prevailing-torque is more

VS



Bad screws on the market: prevailing-torque is 0 after it is screwed in and out for five times, nylon patch will peel off.

NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.

VS



Bad screws on the market: bad finish, uneven coating, thread is oxidized, the finish is blacked.

NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good toughness.requirement of ISO

VS



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent, high strength and bad toughness.

NO5.Mechanical Properties comparison



VS



Our self tapping screws: our screws have high strength, enough hardness, good toughness after heat treated, they won't be broken after bent.

Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

NO6. Corrosion Resistance Comparison of SUS304



VS



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxidized, rusted and has good anti-corrosion capacity. standard, they won't be broken after 90° bent, high strength, good toughness.

SUS304 screws on the market: nickel chemical element content will be less than 8, even doesn't have nickel plated, which doesn't meet ISO requirement. The finish will be oxidized, rusted and lose anti-corrosion capacity.

Company Profile

FINEX

20 YEARS
Non-standard Fasteners
Customization Experience

+86-13527934468

alianchen@finexfastener.com

Contact us



Partners and Exhibitions



Raw Material (IQC)



Head Size (IPQC)



Thread Size (IPQC)



Spot check on surface treatment



Image Measuring Instrument



Hardness Test



ROHS Test



Salt Spray Test



Tensile Force Test



Touque Test



Screw Optical Screener



FQC by Manual Selection

FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy,Stainless Steel, Brass, Copper ,Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours.Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express,It is 3~5 days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.



Finexpress Precision Manufacturing (dongguan) Co., Ltd



+86-13527934468



alianchen@finexfastener.com



metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China