M12 Hex Head Friction Grip Bolt Corrosion Resistant with Plain Finish

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- 30000 \$0.05/pieces 10000-49999 pieces 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet, 2.Carton size:28cm*18cm*13cm, 3.Wood pallet size:118cm*113cm,Weight:700~800Kg Bulk:0.8 cubic 4. The weight of 20 FT Container: 20~25 Tons 5,As your requirements • Delivery Time: 7~15 Working Day

Guangdong, China

FineExpress

Hex Screw Bolt

- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 50000000 Piece/Pieces per Week



Product Specification

• Finish:	ZINC, Plain
• Material:	Stainless Steel, Steel, Titanium
• Standard:	DIN, DIN,ANSI,ISO,BSW,ect
• MOQ:	1 Piece In Stock, 30,000 Pcs Customized
• Package:	Hex Screw Bolt Small Packing+Carton Packing+Pallet
Delivery Time:	In Stock 5~7 Working Days, Customized 15~25 Working Days
Service:	1mm~500mm
Advantages:	Competitive Price, High Quality And Good Service
• Port:	FOB Shenzhen
• Highlight:	Hex Head Friction Grip Bolt, Corrosion Resistant Friction Grip Bolt, M12 High Friction Grip Bolts



More Images



FinEx°n易

FinEx°凡易

FinEx°凡易









for more products please visit us on metalscrewfastener.com

Product Description

M12 Hex Head Friction Grip Bolt Corrosion Resistant with Plain Finish

FINEX | Fine and Express FASTENERS 7 🐼 🗑



Product Overview

Our M12 Hex Head Friction Grip Bolts are engineered for high-stress structural applications requiring reliable clamping force and resistance to corrosion. Featuring a plain finish for low-maintenance durability, these bolts comply with international standards for friction grip connections in bridges, steel frameworks, and machinery exposed to harsh environments.

Key Features

Friction Grip Design

High Clamping Force: Engineered to maintain preload tension under dynamic or static loads.

Shear & Tensile Strength: Ideal for joints subjected to vibration, wind, or seismic forces.

Corrosion-Resistant Plain Finish

Stainless Steel (A2/A4): A2 (304) for general use; A4 (316) for marine/chemical environments.

Passivated Surface: Natural oxide layer enhances corrosion resistance without coatings.

Hex Head Design

Wrench Compatibility: Standard 19mm hex head for easy installation with sockets or torque wrenches.

Durable & Reusable: Resists rounding or stripping during tightening/loosening.

Compliance & Certification

ISO 898-1 (Mechanical Properties), ASTM F3125 (Structural Bolts), RoHS, and ISO 3506 (Stainless Steel).

Fine and Express FASTENERS O O





Phillips





Anti-theft Triangle





Click Here To Start Customizing

Customizable Hole Shape

Slotted

Hex Socket



One way

anti theft

Torx-internal Torx Tamber proof pin

Square Slot

Combination



H type

anti theft

Phillips Slot

Combination



Tri-wing

Two-Hole


Tamber proof

Slot 6 Lobe



Combination Tamber proof pin






Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS
Why Choose Us	

Why Choose Us?

OEM/ODM Support: Full custom packaging, branding, and documentation.
Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).
Flexible MOQs: Prototype batches to large-scale production.
Fast Turnaround: 10–15 days for standard orders; expedited options available.

NO1.Drive compariason









Partners and Exhibitions 💈 💿 🖥 🔿

















FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is $3 \sim 5$ days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

