# M2.5 Galvanized White Self Tapping Screws With Aluminium Finish Cadmium

#### **Basic Information**

. Place of Origin: Guangdong, China Brand Name: FinExpress

FinExpress Screw Model Number:

 Minimum Order Quantity: 30000

• Price: \$0.03/pieces 30000-99999 pieces

 Packaging Details: 1.1000pcs / plastic bag,20kgs/ carton ,then

put on the wood pallet,

2.Carton size:28cm\*18cm\*13cm,

3.Wood pallet

size:118cm\*113cm,Weight:700~800Kg

Bulk:0.8 cubic

4. The weight of 20 FT Container: 20~25 Tons

5,As your requirements

. Delivery Time: 7~15 Working Day T/T, L/C, D/A, D/P Payment Terms:

500000000 Piece/Pieces per Week Supply Ability:



## **Product Specification**

· Finish: Black, ZINC, Plain, Black Oxide, ZINC

PLATED, BLUE DYED, Cadmium Plated,

Zinc-aluminum Coated

Material: Brass, Stainless Steel, Steel, Aluminium,

Plastic, NICKEL

. Measurement System: INCH

Head Style: Pan, Truss, Flat, Oval, HEX

Standard: Non-standard

· MOQ: 1 Piece In Stock, 30,000 Pcs Customized · Package: Small Packing+Carton Packing+Pallet . Delivery Time: In Stock 5~7 Working Days, Customized

15~25 Working Days

**OEM ODM Custom Service** · Service:

Length: 1mm~500mm

· Certificate: ISO9001:2015, SGS, RoHs

. Highlight: Galvanized White Self Tapping Screws,



#### More Images









#### **Product Description**

M2.5 Galvanized White Self Tapping Screws With Aluminium Finish Cadmium Plated



#### **Product Overview**

Engineered for precision and durability, our M2.5 Galvanized White Self-Tapping Screws combine a sleek aluminum-like cadmium-plated finish with robust corrosion resistance. Ideal for applications demanding both aesthetic appeal and long-lasting performance, these screws are perfect for electronics, marine hardware, aerospace components, and decorative installations. The dual-layer galvanized and cadmium plating ensures superior protection against rust, while the self-tapping design simplifies installation in metal, plastic, or composite materials.

#### **Key Features**

**Dual-Layer Corrosion Protection** 

Galvanized Base Layer: Zinc coating provides foundational rust resistance.

Cadmium-Plated Finish: Adds a silvery-aluminum aesthetic and enhances durability in harsh environments (saltwater, humidity).

Self-Tapping Efficiency

Sharp, Hardened Tip: Drills and threads in one step, eliminating pre-drilling in thin metals or plastics.

M2.5 Precision Sizing: Diameter 2.5mm | Lengths 5mm-20mm - ideal for micro-electronics and delicate assemblies.

Aesthetic & Functional Design

White Galvanized Finish: Clean, bright appearance for visible applications.

Cadmium-Plated Aluminum Look: Sleek, metallic finish that resists tarnishing and fingerprints.

Certifications & Compliance

RoHS & REACH: Compliant with global safety standards (cadmium use restricted in some regions; contact for alternatives).

ISO 4042 & ASTM B633: Guaranteed mechanical and coating performance.



## **Click Here To Start Customizing Customizable Hole Shape**







**Anti-theft Triangle** 



**Slotted** 



**Hex Socket** 



Pozi

Torx



**Phillips** 

**Torx-internal** Tamber proof pin



H type anti theft



**Tri-wing** 



Two-Hole **Tamber proof** 



One way anti theft



**Square Slot** Combination



**Phillips Slot** Combination



Slot 6 Lobe



**Tri-wing internal Combination Tamber proof pin** 



# FINEX | Fine and Express FASTENERS ▼ ◎ 〒 ○

## Click Here To Start Customizing Customizable Head Shape



Pan head Socket head Hex head Csk head Round head



Square head Wafer head Pan washer Flange Head Oval Head



Knurled head Truss head Custom head Button Head







What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening













## Specification

### More Detail Informations

1.Stainless Steel: SS303, SS304, SS316, SS410, SS420;

2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045;

3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70;

4. Aluminum: Al6061, Al6063 etc

or as your requirements

CSK Head, Pan Head, Truss Head, Hexagon Head, Round Head type Head, Oval Head, Button Head, Cap Head, Cheese Head, etc.

Carbon Steel:HRC:28~35 ,HV450~700

Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)

Zinc plated, Nickel plated, Bronze, Copper, Phosphate,

Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome,

Phosphorization, Zinc-nickel alloy plated etc.

The sample is free of charge if we have the existing Sample Available

tooling, you only need to pay for the freight cost

Samples time 3-5 working days, Lead time 20-25 working Delivery time

days

Pricing Term EXW Dongguan(FCA), FOB, CIF, CNF, DDU, etc. Packing Bulk in PE bag or Small boxes.then in carton .pallet

TT (30% in advance as deposit, balance before delivery), Payment term

L/C, Western Union, PayPal etc

ISO9001:2015 Management system Certificate ISO,ROHS

## Why Choose Us

Hardness

Finish

#### Why Choose Us?

**OEM/ODM Support**: Full custom packaging, branding, and documentation.

Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).


Flexible MOQs: Prototype batches to large-scale production.

Fast Turnaround: 10-15 days for standard orders; expedited options available.

#### NO1.Drive compariason



#### NO2. Torque comparison



#### NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.



Bad screws on the market: bad finish, uneven coating, thread is oxided, the finish is blacked.

#### NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent,

#### NO5.Mechanical Properties comparison

VS



Our self tapping screws: our screws have high strength, enough hardness good toughness after heat treated, they won't be broken after bent



high strength and bad toughness.

Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

### NO6. Corrosion Resistance Comparison of SUS304

VS



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxided, rusted and has good anti-corresion capacity.standard, they won't be broken after 90° bent, high strength, good toughness.





SUS304 screws on the market:
nickel chemical element content will
be less than 8, even doesn't have
nickel plated, which doesn't meet ISO
requirement. The finish will be oxided,
rusted and lose anti-corresion
capacity.

## Company Profile











#### FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express,It is  $3\sim5$  days.

Q4: What's your packing? What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

#### Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

## FINEX Finexpress Precision Manufacturing (dongguan) Co., Ltd

+86-13527934468

alianchen@finexfastener.com



e metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China