Countersunk Head Self Tapping Screw Zinc Plated Self Tapping Drywall Screws

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- FinExpress FinExpress Screw Quantity: 30000 \$0.08/pieces 1000-999999 pieces s: 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet , 2.Carton size:28cm*18cm*13cm, 3.Wood pallet size:118cm*113cm,Weight:700~800Kg Bulk:0.8 cubic 4.The weight of 20 FT Container:20~25 Tons 5,As your requirements 7~15 Working Day

50000000 Piece/Pieces per Week

Guangdong, China

T/T, L/C, D/A, D/P



- Delivery Time:
- Payment Terms:
- Supply Ability:

Product Specification

_		
,	Finish:	Plain, ZINC PLATED, Yellow Zinc Plated
,	Material:	Stainless Steel, Steel
,	Measurement System:	INCH, Imperial (Inch)
,	Head Style:	Flat, Custom
,	Standard:	DIN
,	Drive Type:	Phillips/Pozi Drive/Torx
,	Length:	16mm~180mm
,	Delivery Time:	In Stock 5~7 Working Days, Customized 15~25 Working Days
,	Service:	All Issues Will Be Noted Within 24hours
,	Advantages:	12 Years Experience In Fastener Export
,	Tapping Screws Type:	Drywall Screws Drywall To Drywall
,	Customized Support:	OEM
,	Application:	Furniture/ Wood/Construction

Yellow/ White Blue



More Images

Color:





Product Description

Countersunk Head Self Tapping Screw Zinc Plated Self Tapping Drywall Screws

4 1 1 1 1

FINEX | Fine and Express FASTENERS 7 🐼 🗑 🖗



Product Overview

Achieve professional, long-lasting installations with our Zinc-Plated Countersunk Head Self-Tapping Drywall Screws, designed for effortless fastening and corrosion resistance. Combining a sharp self-tapping tip, zinc-plated coating, and countersunk head, these screws are ideal for drywall, wood, and light metal applications in both indoor and moisture-prone environments. Perfect for contractors and DIYers seeking durability and a clean, flush finish.

Key Features

Zinc-Plated Corrosion Resistance

Electro-Galvanized Coating: Protects against rust and humidity, ideal for bathrooms, kitchens, and outdoor-adjacent areas.

Durable Finish: Extends screw lifespan compared to standard phosphate-coated drywall screws.

Self-Tapping Efficiency

Sharp, Hardened Point: Drills into drywall, wood, or light-gauge metal without pre-drilling (up to 1.5mm thickness).

Fine Threads: Optimized for drywall and soft materials to prevent over-tightening and surface damage.

Countersunk Head Design

Flush Finish: Sits seamlessly with surfaces for smooth painting or taping.

Wide Bearing Surface: Distributes pressure to reduce drywall paper tearing.

Versatile Applications

Drywall to Wood/Metal Studs: Secures drywall panels to wood or light steel framing.

Light Construction: Assembling wood panels, PVC trim, or composite materials.


Certified Quality

ASTM C1513: Compliant with drywall screw standards for strength and performance.

ROHS Compliance: Environmentally safe and free from hazardous substances.








Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.	
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)	
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.	
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost	
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days	
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.	
Packing	Bulk in PE bag or Small boxes.then in carton .pallet	
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc	
Management system	ISO9001:2015	
Certificate	ISO,ROHS	
Why Choose Us		

Why Choose Us?

OEM/ODM Support: Full custom packaging, branding, and documentation.
Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).
Flexible MOQs: Prototype batches to large-scale production.
Fast Turnaround: 10–15 days for standard orders; expedited options available.

NO1.Drive compariason









Partners and Exhibitions 💈 💿 🖥 🔿

















FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is $3 \sim 5$ days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

