

## Zinc Plated Hex Head Self Tapping Screw Customized Self Drilling Wood Screws

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: FinExpress
- Model Number: Tapping Screws
- Minimum Order Quantity: 30000
- Price: \$0.03/pieces 10000-49999 pieces
- Packaging Details: 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet ,  
2.Carton size:28cm\*18cm\*13cm,  
3.Wood pallet size:118cm\*113cm,Weight:700~800Kg  
Bulk:0.8 cubic  
4.The weight of 20 FT Container:20~25 Tons  
5,As your requirements
- Delivery Time: 7~15 Working Day
- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 500000000 Piece/Pieces per Week



#### Product Specification

- Finish: Plain, Black Oxide, ZINC PLATED, Custom
- Material: Stainless Steel, Steel
- Measurement System: INCH, Metric, Imperial (Inch)
- Head Style: Flat
- Standard: DIN
- Delivery Time: In Stock 7~15 Working Days, Customized 20~25 Working Days
- Service: All Issues Will Be Noted Within 24hours
- Advantages: Competitive Price With High Quality & Good After-sales Service
- Tapping Screws Type: Drywall Screws Drywall To Drywall
- Customized Support: OEM
- MOQ: 1 Piece In Stock, 30,000 Pcs Customized
- Certificate: IATF16949/ISO9001:2015/ISO14001:2015
- Length: 13mm~180mm



#### More Images



Factory Field  
Certification  
strictly certified  
by alibaba

Quality report  
our products have  
been tested by  
ISO9001  
IATF16949 SGS




Factory



## Product Description

Zinc Plated Hex Head Self Tapping Screw Customized Self Drilling Wood Screws

### FINEX | Fine and Express FASTENERS



## Product Overview

Our Zinc-Plated Hex Head Self-Tapping Self-Drilling Screws combine versatility, durability, and efficiency for woodworking and light metal projects. Featuring a corrosion-resistant zinc coating, self-drilling tip, and hex head for high-torque installation, these screws eliminate the need for pre-drilling, saving time and labor. Customizable in size, length, and threading, they are ideal for contractors, manufacturers, and DIYers seeking reliable, long-lasting fastening solutions.

## Key Features

Self-Tapping & Self-Drilling Design

Sharp Drill Point: Penetrates wood and light-gauge metal (up to 2mm thick) without pilot holes.

Coarse Threads: Aggressive grip for rapid installation in wood, plywood, and composite materials.

Hex Head for High Torque

Hexagonal Drive (5mm–10mm): Compatible with wrenches, sockets, or impact drivers for secure tightening.

Flange or Standard Head: Choose a flanged hex head for added load distribution or a standard hex head for low-profile finishes.

Zinc-Plated Corrosion Resistance

Electro-Galvanized Coating: Protects against rust and humidity for outdoor or moisture-prone environments.

Optional Coatings: Upgrade to yellow zinc or Dacromet® for enhanced durability.

Customizable Specifications

Sizes: Diameter M4–M12 (metric) / #8–1/2" (imperial).

Lengths: 20mm–150mm (custom lengths up to 200mm available).

Thread Types: Fine (for metal) or coarse (for wood).

High-Strength Material

Grade 8.8 Carbon Steel: Heat-treated for tensile strength up to 800 MPa.

Stainless Steel Options: 304/316 grades available for extreme environments.

**FINEX** | Fine and Express

**FASTENERS**



[Click Here To Start Customizing Customizable Hole Shape](#)

				
<b>Pozi</b>	<b>Phillips</b>	<b>Anti-theft Triangle</b>	<b>Slotted</b>	<b>Hex Socket</b>
				
<b>Torx</b>	<b>Torx-Internal Tamper proof pin</b>	<b>H type anti theft</b>	<b>Tri-wing</b>	<b>Two-Hole Tamper proof</b>
				
<b>One way anti theft</b>	<b>Square Slot Combination</b>	<b>Phillips Slot Combination</b>	<b>Slot 6 Lobe Combination</b>	<b>Tri-wing internal Tamper proof pin</b>







**FINEX | Fine and Express**  
**FASTENERS**    

**OEM** **ODM**  
ORIGINAL ORIGINAL  
EQUIPMENT DESIGN  
MANUFACTURER MANUFACTURER

**What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening**



## Specification

### More Detail Informations

#### Available Material

- 1.Stainless Steel: SS303, SS304, SS316, SS410, SS420;
- 2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045;
- 3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70 ;
- 4.Aluminum: Al6061, Al6063 etc  
or as your requirements

Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling,you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS

## Why Choose Us

### Why Choose Us?

**OEM/ODM Support:** Full custom packaging, branding, and documentation.

**Quality Assurance:** ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).

**Flexible MOQs:** Prototype batches to large-scale production.

**Fast Turnaround:** 10–15 days for standard orders; expedited options available.

#### NO1.Drive compariason



#### NO2.Torque comparison





### NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.

VS



Bad screws on the market: bad finish, uneven coating, thread is oxidized, the finish is blacked.

### NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good toughness requirement of ISO

VS



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent, high strength and bad toughness.

### NO5.Mechanical Properties comparison



Our self tapping screws: our screws have high strength, enough hardness, good toughness after heat treated, they won't be broken after bent.

VS



Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

### NO6. Corrosion Resistance Comparison of SUS304



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxidized, rusted and has good anti-corrosion capacity standard, they won't be broken after 90° bent, high strength, good toughness.

VS



SUS304 screws on the market: nickel chemical element content will be less than 8, even doesn't have nickel plated, which doesn't meet ISO requirement. The finish will be oxidized, rusted and lose anti-corrosion capacity.

# FINEX

## — 20 YEARS

### Non-standard Fasteners Customization Experience

+86-13527934468

alianchen@finexfastener.com

### Contact us



### Partners and Exhibitions







## FAQ

**Q1: What is your main products and material supply?**

**A1:** Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

**A2:** Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

**Q2: When can I get the price?**

**A:** We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

**Q3: What about the transportation and delivery date?**

**A:** If the weight of goods more than 80kg, Normally we use shipment to transport the orders. It is about 20-30 days. If the weight of goods less than 80kg, or there are urgent, we can send the goods via air express, It is 3-5 days.

**Q4: What's your packing? What to do in case of damaged goods during transport?**

**A1:** Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

**A2:** To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

**Q5: Can I get discounts?**

**A:** Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.



**Finexpress Precision Manufacturing (dongguan) Co., Ltd**



+86-13527934468



alianchen@finexfastener.com



metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China