Metric M3 4mm x 6mm Stainless Steel Slotted Pan Head Step Shoulder Screws for Custom

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:

• Delivery Time:

- Guangdong, China FinExpress Shoulder Screw Auantity: 30000 \$0.06/pieces 5000-9999 pieces S: 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet , 2.Carton size:28cm*18cm*13cm, 3.Wood pallet size:118cm*113cm,Weight:700~800Kg Bulk:0.8 cubic 4.The weight of 20 FT Container:20~25 Tons 5,As your requirements 7~15 Working Day
- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 50000000 Piece/Pieces per Week



Product Specification

• Finish:	ZINC, Plain, Black Oxide, ZINC PLATED, Cadmium Plated, Zinc-aluminum Coated, Blue Anodized, Dacromet
• Material:	Stainless Steel, Steel, Titanium, Bronze, Nylon
 Measurement System: 	Metric
 Head Style: 	Pan, Truss, Flat, HEX, Cheese, Binding
• Standard:	ISO, Non-standard
 Product Name: 	Black Dacromet Pan Head Torx Step Shoulder Screw
• MOQ:	1 Piece In Stock, 30,000 Pcs Customized
• Package:	Small Packing+Carton Packing+Pallet
Delivery Time:	In Stock 5~7 Working Days, Customized 15~25 Working Days
• Service:	OEM ODM Custom Service
• Length:	1mm~500mm



More Images



Metric M3 4mm x 6mm Stainless Steel Slotted Pan Head Step Shoulder Screws for Custom

FINEX | Fine and Express FASTENERS 7 🐼 🗑 🖗



Product Overview

Our Metric M3 Stainless Steel Slotted Pan Head Step Shoulder Screws are precision-engineered for applications demanding exact alignment, corrosion resistance, and compact design. Featuring a 4mm shoulder diameter and 6mm total length, these screws combine a slotted pan head for easy installation with a smooth, unthreaded shoulder for precise component positioning. Ideal for electronics, medical devices, and industrial machinery, they offer durability and reliability in demanding environments.

Key Features

Stainless Steel 304/316 Construction

Corrosion Resistance: Withstands moisture, chemicals, and sterilization processes.

High Tensile Strength: 515 MPa (304) or 620 MPa (316) for long-lasting performance.

Step Shoulder Design

4mm Shoulder Diameter: Provides stable alignment for bearings, bushings, or spacers.

6mm Total Length: Compact size for tight spaces without compromising strength.

Slotted Pan Head

Easy Installation: Compatible with standard flat-head screwdrivers.

Low Profile: Rounded head sits flush to prevent snagging in compact assemblies.

RoHS Compliance

Hazardous Substance-Free: Safe for electronics, medical devices, and consumer products.

Customizable Options

Tailored Dimensions: Adjust shoulder diameter (2mm-8mm) and length (5mm-20mm).

Finishes: Passivated, electropolished, or bead-blasted surfaces.







Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS
Why Choose Us	

Why Choose Us?

OEM/ODM Support: Full custom packaging, branding, and documentation.

Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).

Flexible MOQs: Prototype batches to large-scale production.

Fast Turnaround: 10–15 days for standard orders; expedited options available.

NO1.Drive compariason



NO2.Torque comparison

VS



Our screws: Nylon patch is high quality, prevailing-torque is more



Bad screws on the market: prevailing-torque is 0 after it is screwed in and out for five times, nylon patch will peel off.







Partners and Exhibitions 💈 💿 🖥 🔿

















FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is $3 \sim 5$ days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

