## Electrical Contact Sealing Capstan Headed Screw Ammeter Special Screw

#### **Basic Information**

• Place of Origin:

Model Number:

- Brand Name:
- Guangdong, China
- FinExpress screw080
- Minimum Order Quantity:
- Price:
- FinExpress
- ty: 30000
  - \$0.03/pieces 1000-9999 pieces



• Measurement System:

Finish:Material:

Head Style:Standard:

• MOQ:

Package:Delivery Time:

Service:Length:

• Certificate:

• Highlight:

- Plain, ZINC PLATED Stainless Steel, Steel INCH Pan, Truss, Flat, HEX Non-standard 1 Piece In Stock, 100,000 Pcs Customized
- Small Packing+Carton Packing+Pallet
  - In Stock 5~7 Working Days, Customized 15~25 Working Days
  - OEM ODM Custom Service
    - 1mm~500mm
      - ISO9001:2015, RoHs
        - Electrical Contact Capstan Headed Screw, Sealing Capstan Headed Screw, Ammeter Special Screw



#### More Images









### Custom Ammeter Electrical Contact Sealing Screws Drilled Hole Cap head Slotted Capstan Screws

Our Advantages




1.ITS, SGS certified factory. 2.Supports to visit our factory with video call.

3. The factory has ISO9001, ISO14001, IATF16949 system certification, and PPAP and APQP test reports can be provide


4. Qucik delivery time, 5 working days for regular products, 15 working days for customized products.


5. Products after more than 10 inspection processes before delivery, quality is guaranteed.

6. More than 10 years of foreign trade export experience, with the ability to deal with market risks.











**CNC** Lathes

CONTACT US 24 hours online service

Mobile:+86-13527934468

E-mail:irenechen@finexfastener.com

\*10 years experience in foreign trade \*Professional product knowledge answer

# CONTACT US:>>>OEM&ODM

**Quality Inspection** 

Quality Inspection ©



1.Raw material(IQC)



4.Theading



2.Heading



5.IPQC



3.IPQC



6.Hardness Testing



Our company has a complete iso9001, iso14001, IATF16949 quality management system, and each product has more than 10 inspection procedures, so our products are different from those on the market as follows

