Guangdong, China, Guangdong, China

# Non Hardening Heat Treatment Flat Nickel Plated Shoulder Bolts with **Precision Step Screw**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- 30000 \$0.12/pieces 1000-9999 pieces 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet, 2.Carton size:28cm\*18cm\*13cm, 3.Wood pallet size:118cm\*113cm,Weight:700~800Kg Bulk:0.8 cubic 4. The weight of 20 FT Container: 20~25 Tons 5,As your requirements 7~15 Working Day • Delivery Time: • Payment Terms: T/T, L/C, D/A, D/P • Supply Ability: 50000000 Piece/Pieces per Week

(Mainland)

FinExpress

FinExpress Screw0043



• Finish:	Black, ZINC, Plain, Black Oxide, ZINC PLATED, Cadmium Plated, Zinc-aluminum Coated, Anodized	
Material:	Stainless Steel, Steel, Aluminium, Plastic, NICKEL, Bronze	
Measurement System:	INCH	
Head Style:	Pan, Truss, Flat, Oval, HEX, Binding, Knurled	X
• Standard:	Non-standard	(Jilling)
• Hardness:	HV250-600	
• Heat Treatment:	Non Hardening	
• Function:	Connection, Fastening And Decoration	
Range Of Application:	Cabinet, Sheet Metal, Motors. Building Decoration Etc.	
• Sample:	Available Free Within 7days	
Delivery Time:	In Stock 5~7 Working Days, Customized 15~25 Working Days	

## More Images









Non Hardening Heat Treatment Flat Nickel Plated Shoulder Bolts with Precision Step Screw

# FINEX | Fine and Express FASTENERS 7 @ 7 0



Achieve precision and reliability in your mechanical assemblies with **Non-Hardening Heat Treatment Flat Nickel-Plated Shoulder Bolts**. Designed for demanding applications, these bolts feature a **precision step screw** design and a durable **nickelplated finish** for enhanced corrosion resistance and a professional appearance. The **non-hardening heat treatment** ensures optimal strength and durability without compromising machinability, making them ideal for high-precision industries.

### **Key Features:**

Material: High-quality steel with non-hardening heat treatment for strength and machinability.

Finish: Nickel-plated for corrosion resistance and a sleek look.

Design: Precision step screw and flat shoulder for accurate alignment and load distribution.

Applications: Perfect for machinery, automotive, aerospace, and precision engineering.

Durability: Resistant to wear, corrosion, and extreme conditions.

Why Choose Nickel-Plated Shoulder Bolts?

These bolts combine precision engineering with robust construction, making them a trusted choice for critical applications. The nickel-plated finish ensures long-lasting performance, while the flat shoulder design provides stability and alignment.

Upgrade your assemblies with Non-Hardening Heat Treatment Flat Nickel-Plated Shoulder Bolts - the ultimate choice for precision, durability, and performance in high-stress environments.

# **Fine and Express** FASTENERS I @ TO

**Click Here To Start Customizing Customizable Hole Shape** 







**Phillips** 

Anti-theft Triangle



Slotted

**Tri-wing** 



**Hex Socket** 

**Two-Hole Tamber proof** 



**One way** 

anti theft

Torx

**Square Slot** 

**Torx-internal** 

Tamber proof pin



**Phillips Slot** Combination

H type

anti theft




**Tri-wing internal** Slot 6 Lobe **Combination Tamber proof pin** 





Combination





Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS
Why Choose Us	

# <image><image><complex-block><complex-block><text><text><text><text><text><text>







# Partners and Exhibitions 💈 💿 🖥 🔿

















## FAQ

## Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

## Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

## Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is  $3 \sim 5$  days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

