

## Truss Head Chicago Screws Belt Screw Rivets Binding Screw Female Screw 10.5\*8.5- 8-32

### Our Product Introduction

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: FinExpress
- Model Number: Chicago Screw
- Minimum Order Quantity: 30000
- Price: \$0.05/pieces >=10000 pieces
- Packaging Details: 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet ,  
2.Carton size:28cm\*18cm\*13cm,  
3.Wood pallet size:118cm\*113cm,Weight:700~800Kg  
Bulk:0.8 cubic  
4.The weight of 20 FT Container:20~25 Tons  
5,As your requirements
- Delivery Time: 7~15 Working Day
- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 500000000 Set/Sets per Week



#### Product Specification

- Finish: ZINC, Plain, Black Oxide, ZINC PLATED, Chrome Plated, Silver Plated, Blue Anodized, Black Oxide
- Material: Brass, Stainless Steel, Steel, Aluminium, Plastic, Titanium, NICKEL, Bronze, Nylon
- Measurement System: INCH
- Head Style: Pan, Truss, Flat, Oval, Round, HEX, Cheese, Binding
- Standard: DIN
- Male Screw Size: TM#8-32\*6
- Female Screw Size: 10.5\*8.5-#8-32
- Package: Small Packing+Carton Packing+Pallet
- Function: Connection,Fastening,Connection,Fastening And Decoration
- Range Of Application: Holster, Handbags, Belts, Bookbinding, Furniture, Etc.
- MOQ: 1000 Sets In Stock, 30,000 Sets Customized



#### More Images



## Product Description

Truss Head Chicago Screws Belt Screw Rivets Binding Screw Female Screw 10.5\*8.5- 8-32

### FINEX | Fine and Express FASTENERS



Discover the ultimate fastening solution for belts, leather goods, and industrial applications with our **Truss Head Chicago Screws**. Also known as belt screw rivets or binding screws, these versatile fasteners feature a durable truss head design and a secure female-male screw system, making them ideal for creating strong, reusable connections. Perfect for leather crafting, bookbinding, signage, and more, these screws combine functionality with a professional finish.

#### Key Features:

**Truss Head Design:** The wide, low-profile truss head provides a larger bearing surface, ensuring a secure hold and preventing pull-through in soft materials like leather or fabric.

**Durable Construction:** Made from high-quality materials, these screws are built to withstand wear and tear, offering long-lasting performance in demanding applications.

**8-32 Thread Size:** The standardized 8-32 thread ensures compatibility with a wide range of applications and allows for easy replacement or interchangeability.

**Reusable Fastening:** Unlike traditional rivets, Chicago screws can be easily unscrewed and reused, making them perfect for applications requiring frequent adjustments or disassembly.

**Female-Male Screw System:** The two-part design (male and female screws) ensures a tight, secure connection without the need for additional tools or adhesives.

**Dimensions:** 10.5mm (head diameter) x 8.5mm (shaft length), ideal for medium to heavy-duty applications.

**Technical Specifications:**

**Material:** Steel, Stainless Steel, or Brass (options available)

**Finish:** Plain, Nickel-Plated, or Black Oxide (options available)

**Head Type:** Truss Head

**Thread Size:** 8-32 UNC

**Dimensions:** 10.5mm (head diameter) x 8.5mm (shaft length)

**Packaging:** Available in bulk or small quantities

**FINEX | Fine and Express**  
**FASTENERS**



[Click Here To Start Customizing](#)  
**Customizable Hole Shape**



**Pozi**



**Phillips**




**Anti-theft  
Triangle**



**Slotted**



**Hex Socket**



**Torx**



**Torx-internal  
Tamper proof pin**



**H type  
anti theft**



**Tri-wing**



**Two-Hole  
Tamper proof**



**One way  
anti theft**



**Square Slot  
Combination**



**Phillips Slot  
Combination**



**Slot 6 Lobe  
Combination**



**Tri-wing internal  
Tamper proof pin**







**FINEX | Fine and Express**  
**FASTENERS**    

**OEM** **ODM**  
ORIGINAL ORIGINAL  
EQUIPMENT DESIGN  
MANUFACTURER MANUFACTURER

**What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening**



## Specification

### More Detail Informations

Available Material

- 1.Stainless Steel: SS303, SS304, SS316, SS410, SS420;
  - 2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045;
  - 3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70 ;
  - 4.Aluminum: Al6061, Al6063 etc
- or as your requirements


Head type

CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.


|                   |   |
|-------------------|---|
| Hardness          | Carbon Steel:HRC:28~35 ,HV450~700<br>Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)  |
| Finish            | Zinc plated, Nickel plated, Bronze, Copper,Phosphate,<br>Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome,<br>Silver,<br>Phosphorization,Zinc-nickel alloy plated etc. |
| Sample Available  | The sample is free of charge if we have the existing<br>tooling,you only need to pay for the freight cost   |
| Delivery time     | Samples time 3-5 working days, Lead time 20-25 working<br>days  |
| Pricing Term      | EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.   |
| Packing           | Bulk in PE bag or Small boxes.then in carton .pallet  |
| Payment term      | TT (30% in advance as deposit, balance before delivery) ,<br>L/C, Western Union,PayPal etc  |
| Management system | ISO9001:2015  |
| Certificate       | ISO,ROHS  |

## Why Choose Us

### NO1.Drive compariason



### NO2.Torque comparison





### NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.

VS



Bad screws on the market: bad finish, uneven coating, thread is oxidized, the finish is blacked.

### NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good toughness requirement of ISO

VS



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent, high strength and bad toughness.

### NO5.Mechanical Properties comparison



Our self tapping screws: our screws have high strength, enough hardness, good toughness after heat treated, they won't be broken after bent.

VS



Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

### NO6. Corrosion Resistance Comparison of SUS304



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxidized, rusted and has good anti-corrosion capacity standard, they won't be broken after 90° bent, high strength, good toughness.

VS



SUS304 screws on the market: nickel chemical element content will be less than 8, even doesn't have nickel plated, which doesn't meet ISO requirement. The finish will be oxidized, rusted and lose anti-corrosion capacity.

# FINEX

## — 20 YEARS

### Non-standard Fasteners Customization Experience

+86-13527934468

alianchen@finexfastener.com

#### Contact us



## Partners and Exhibitions







## FAQ

**Q1: What is your main products and material supply?**

**A1:** Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

**A2:** Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

**Q2: When can I get the price?**

**A:** We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

**Q3: What about the transportation and delivery date?**

**A:** If the weight of goods more than 80kg, Normally we use shipment to transport the orders. It is about 20-30 days. If the weight of goods less than 80kg, or there are urgent, we can send the goods via air express, It is 3~5 days.

**Q4: What's your packing? What to do in case of damaged goods during transport?**

**A1:** Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

**A2:** To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

**Q5: Can I get discounts?**

**A:** Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.



**Finexpress Precision Manufacturing (dongguan) Co., Ltd**



+86-13527934468



alianchen@finexfastener.com



metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China