Guangdong, China, Guangdong, China

# Stainless Steel Open Eye Bolt Heavy Duty And Versatile for Lifting **Extension**

# **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number:
- Price:
- Packaging Details:
- Minimum Order Quantity: 50000 \$0.12/pieces 10000-29999 pieces 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet, 2.Carton size:28cm\*18cm\*13cm, 3.Wood pallet size:118cm\*113cm,Weight:700~800Kg Bulk:0.8 cubic 4. The weight of 20 FT Container: 20~25 Tons 5,As your requirements • Delivery Time: 7~15 Working Day • Payment Terms: T/T, L/C, D/A, D/P

FinExpress bolt0011

(Mainland)

FinExpress

• Supply Ability:

### **Product Specification**

• Finish:	ZINC, Plain, Zinc, Nickel, Bronze, Phosphate, Oxidation Black, Passivation, Tin,
• Material:	Stainless Steel, Steel, Carbon Steel, Stainless Steel, Brass
• Standard:	DIN
• Function:	Connection,Fastening
Range Of Application:	Cabinet, Sheet Metal, Motors. Building Decoration Etc
• Sample:	Available Free Within 7days
• Delivery Time:	In Stock 5~7 Working Days, Customized 15~25 Working Days
Reliability Test:	Mechanical Dimentions, Hardness Test.Salt Spray Endurance Test .
• MOQ:	1 Piece In Stock, 50,000 Pcs Customized
Highlight:	Stainless Steel Open Eye Bolt,

Versatile Open Eye Bolt, Otainiana Otaal Eva Dalt Onan

# More Images











Our Product Introduction



#### **Product Description**

Stainless Steel Open Eye Bolt Heavy Duty And Versatile for Lifting Extension

# FINEX | Fine and Express



#### **Product Overview**

Our Stainless Steel Open Eye Bolt is engineered for demanding lifting, rigging, and extension applications. Crafted from high-grade stainless steel, this open-eye design offers unmatched strength, corrosion resistance, and adaptability for industrial, marine, and construction environments. Whether anchoring equipment, suspending loads, or extending rigging systems, this bolt ensures reliability under extreme conditions.

#### **Key Features**

Heavy-Duty Construction

Material: Grade 304/316 Stainless Steel (marine-grade 316 recommended for saltwater/chemical exposure).

High Tensile Strength: Supports static and dynamic loads (SWL varies by diameter; see technical specs).

Open Eye Design

Versatile Attachment: Accommodates hooks, shackles, ropes, or cables for flexible rigging setups.

Easy Loading/Unloading: Open loop allows quick connection/disconnection without disassembling hardware.

Corrosion Resistance

Rust-Proof Performance: Withstands humidity, salt spray, acids, and UV exposure for outdoor/marine longevity.

Threaded Shank

Secure Installation: Machine threads (metric or UNC/UNF) for anchoring into pre-tapped holes or use with nuts.

Length Options: 50mm-300mm (custom lengths available).


Certified Safety

ISO 6150-1:2015 Compliant: Meets international standards for lifting and rigging safety.

Safety Factor: 4:1 minimum (breaking load  $\ge$  4x SWL).








Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS
Why Choose Us	

#### Why Choose Us?

OEM/ODM Support: Full custom packaging, branding, and documentation.
Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).
Flexible MOQs: Prototype batches to large-scale production.
Fast Turnaround: 10–15 days for standard orders; expedited options available.

#### NO1.Drive compariason









# Partners and Exhibitions 💈 💿 🖥 🔿

















#### FAQ

#### Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

#### Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

#### Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is  $3 \sim 5$  days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

