M5 Long Rubber Well Nut with ISO9001:2015 Certification for Motorcycle Vibration Dampening

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: FineExpress

Certification: ISO9001|ISO14001| IATF16949
 Model Number: FineExpress Rubber Well Nuts

• Minimum Order Quantity: 50000

• Price: \$0.05/pieces 1000-9999 pieces

Packaging Details:
 1.1000pcs / plastic bag,20kgs/ carton ,then

put on the wood pallet,

2.Carton size:28cm*18cm*13cm,

3.Wood pallet

size:118cm*113cm,Weight:700~800Kg

Bulk:0.8 cubic

4. The weight of 20 FT Container: 20~25 Tons

5,As your requirements

Delivery Time: 7~15 Working Day
 Payment Terms: T/T,L/C,D/A,D/P

• Supply Ability: 500000000 Piece/Pieces per Week



Product Specification

• Finish: ZINC PLATED, Passivated, Chrome Plated,

Nickel Plated, Polished, Custom

• Measurement System: Imperial (Inch)

• Application: Heavy Industry, Mining, Water Treatment,

Healthcare, Retail Industry, Food & Beverage, General Industry, Oil & Gas,

Automotive Industry

• Standard: DIN

• Size: M1~M16

Surface Treatment: Nickel Plated, Zinc Plated, Passivation, Etc.

• Grade: 6.8/8.8/10.9/12.9

• Delivery Time: In Stock 5~7 Working Days, Customized

15~25 Working Days

Service: OEM Customized Services

Package: Small Packing+Carton Packing+Pallet
 Certificate: ISO9001:2015, SGS, RoHs, MTC



More Images





Product Description

Long Rubber Well Nut with Nickel Plated Zinc Plated Passivation Surface Treatment, M5 Motorcycle Rubber Well Nuts

Factory Price Long Rubber Well Nut M5 Motorcycle Rubber Well Nuts



Product Overview

Our M5 Long Rubber Well Nuts are specialized vibration-dampening fasteners designed for motorcycles, ATVs, and automotive applications. Featuring a durable rubber sleeve and internal brass threaded insert, these well nuts provide secure, water-resistant mounting for panels, fairings, mirrors, and electrical components. Ideal for absorbing shocks and preventing loosening in high-vibration environments, they offer a factory-direct price for bulk buyers.

Key Features

- · Vibration Dampening
 - Rubber Sleeve: Absorbs shocks and prevents metal-to-metal contact, reducing noise and wear.
 - Brass Threaded Insert: Corrosion-resistant, M5*0.8mm threads for durable bolt engagement.
- · Weather & Chemical Resistance
 - Nitrile Rubber (NBR): Resists oil, fuel, UV rays, and extreme temperatures (-40°C to 100°C).
 - Waterproof Seal: Prevents moisture ingress, protecting mounted components from rust.
- Motorcycle-Specific Design
 - Long Sleeve (25-40mm): Fits thicker panels or uneven surfaces on bikes and ATVs.
 - Easy Installation: Expandable rubber compresses when tightened, creating a secure grip.

- · Factory Pricing & Bulk Discounts
 - Cost-Effective: Competitive rates for OEMs, repair shops, and distributors.
 - MOQ: 1,000 units (custom orders); standard sizes ship in 5-7 days.



Click Here To Start Customizing Customizable Hole Shape











Phillips

Anti-theft Triangle

Slotted

Hex Socket











Torx-internal Torx Tamber proof pin

anti theft

Tri-wing

Two-Hole **Tamber proof**











One way anti theft

Square Slot Combination

Phillips Slot Combination

Slot 6 Lobe

Tri-wing internal **Combination Tamber proof pin**













Bule Zinc

Yellow Zinc

White Zinc

Black Zinc









Nickel Plated

Black Oxide

Anodizing

Dacromet









Black Electrophoresis

Antique Bronze

Green

Baking Finish

FINEX | Fine and Express FASTENERS ▼ ◎ ▼ ○

Click Here To Start Customizing
Customizable Thread Shape





Click Here To Start Customizing
Customizable Head Shape



Pan head Socket head Hex head Csk head Round head



Square head Wafer head Pan washer Flange Head Oval Head



Knurled head Truss head Custom head Button Head







What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening











Specification

| Available Material | 1. Stainless Steel: SS303, SS304, SS316, SS410, SS420 2. Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045 3. Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70 4. Aluminum: Al6061, Al6063 etc or as your requirements |
|-----------------------|---|
| Head type | CSK Head, Pan Head, Truss Head, Hexagon Head, Round Head, Oval Head, Button Head, Cap Head, Cheese Head, etc. |
| Hardness | Carbon Steel: HRC:28~35, HV450~700 Alloy Steel: HRC:32~39(grade10.9) HRC:39~44(grade12.9) |
| Finish | Zinc plated, Nickel plated, Bronze, Copper, Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization, Zinc-nickel alloy plated etc. |
| Sample Available | The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost |
| Delivery time | Samples time 3-5 working days, Lead time 20-25 working days |
| Pricing Term | EXW Dongguan(FCA), FOB, CIF, CNF, DDU, etc. |
| Packing | Bulk in PE bag or Small boxes, then in carton, pallet |
| Payment term | TT (30% in advance as deposit, balance before delivery), L/C, Western Union, PayPal etc |
| Management system | ISO9001:2015 |
| Certificate | ISO, ROHS |

Why Choose Us

NO1.Drive compariason



Our screws: cross recess drive remains intact after repeatedly used. VS



Bad screws on the market: cross recess drive cannot be used after repeatedly used, they may slip or tear out the Philips screw head.

NO2. Torque comparison



Our screws: Nylon patch is high quality, prevailing-torque is more

VS



Bad screws on the market: prevailing-torque is 0 after it is screwed in and out for five times, nylon patch will peel off.

NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance. VS



Bad screws on the market: bad finish, uneven coating, thread is oxided, the finish is blacked.

NO4. Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good toughness requirement of ISO VS



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent, high strength and bad toughness.



Company Profile

FINEX







FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg, Normally we use shipment to transport the orders. It is about 20-30 days. If the weight of goods less than 80kg, or there are urgent, we can send the goods via air express, It is 3~5 days.

Q4: What's your packing? What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

FINEX Finexpress Precision Manufacturing (dongguan) Co., Ltd



+86-13527934468



alianchen@finexfastener.com



metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China