

Red Anodized Aluminum Thumb Screw – High-Collar Design for PCB Heat Sink Mounting (M3-M5)

Basic Information

Place of Origin: Guangdong, China, Guangdong, China

(Mainland)

Brand Name: FinExpress

Certification: ISO9001|ISO14001| IATF16949

Model Number: Thumb Screw

Minimum Order Quantity: 30000

• Price: \$0.05/pieces 1000-49999 pieces

Packaging Details:
 1.1000pcs / plastic bag,20kgs/ carton ,then

put on the wood pallet,

2.Carton size:28cm*18cm*13cm,

3.Wood pallet

size:118cm*113cm, Weight:700~800Kg

Bulk:0.8 cubic

4. The weight of 20 FT Container: 20~25 Tons

5,As your requirements

Delivery Time: 7~15 Working Day
 Payment Terms: T/T, L/C, D/A, D/P

Supply Ability: 500000000 Piece/Pieces per Week



Product Specification

• Finish: Plain, Black Oxide, ZINC PLATED, Anodized

Material: Brass, Stainless Steel, Steel, Aluminium

Measurement System: Metric

Head Style: Flat, Round, Cheese

Standard: Non-standard
Hardness: HV250-600
Heat Treatment: Non Hardening

• Function: Connection,Fastening And Decoration

• Range Of Application: Cabinet, Sheet Metal, Motors. Building

Decoration Etc.

Sample: Available Free Within 7days

• Delivery Time: In Stock 5~7 Working Days, Customized

15~25 Working Days

Reliability Test:
 Mechanical Dimentions, Hardness Test.Salt

Spray Endurance Test

• MOQ: 1 Piece In Stock, 30,000 Pcs Customized



More Images





Product Description

Red Anodized Aluminum Thumb Screw - High-Collar Design for PCB Heat Sink Mounting (M3-M5)



Product Overview

Our Red Anodized Aluminum High-Collar Thumb Screw is engineered for secure, tool-free mounting of heat sinks and thermal solutions on printed circuit boards (PCBs). Featuring a lightweight aluminum body, non-conductive anodized finish, and ergonomic high-collar design, this screw ensures reliable thermal management while preventing electrical shorts. Ideal for electronics, IoT devices, and industrial controls requiring efficient heat dissipation and easy maintenance.

Key Features

Anodized Aluminum 6061-T6

Non-Conductive Finish: Prevents electrical shorts in high-voltage PCB environments.

Corrosion & Wear Resistance: Withstands oxidation and repeated adjustments.

High-Collar Design

Spacer Function: Elevates the thumb head above the PCB surface, improving airflow and grip.

Ergonomic Grip: Knurled or fluted collar for slip-resistant manual tightening.

Metric Threads (M3-M5)

 $Precision\ Threads:\ M3\times0.5mm,\ M4\times0.7mm,\ M5\times0.8mm\ for\ compatibility\ with\ heat\ sink\ mounting\ holes.$

Thermal Stability: Aluminum's low thermal resistance minimizes heat transfer to the screw.

Vibrant Red Anodized Finish

Aesthetic & Functional: Color-coding for easy identification; enhances corrosion protection.

RoHS & REACH Compliant: Safe for electronics and industrial applications.



Click Here To Start Customizing Customizable Hole Shape



Pozi



Phillips



Anti-theft Triangle



Slotted



Hex Socket



Torx



Torx-internal Tamber proof pin



H type anti theft



Tri-wing



Two-Hole **Tamber proof**



One way anti theft



Square Slot Combination



Phillips Slot Combination





Slot 6 Lobe Tri-wing internal Combination Tamber proof pin



FINEX | Fine and Express FASTENERS Y ⑥ 冒 〇

Click Here To Start Customizing Customizable Head Shape



Pan head Socket head Hex head Csk head Round head



Square head Wafer head Pan washer Flange Head Oval Head



Knurled head Truss head Custom head Button Head







What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening













Specification

Available Material

More Detail Informations

1.Stainless Steel: SS303, SS304, SS316, SS410, SS420; 2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045;

3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70;

4. Aluminum: Al6061, Al6063 etc

or as your requirements

Head type

CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.

Hardness Carbon Steel:HRC:28~35 ,HV450~700

Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)

Zinc plated, Nickel plated, Bronze, Copper, Phosphate,

Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome,

Silver,

Phosphorization, Zinc-nickel alloy plated etc.

Sample Available

The sample is free of charge if we have the existing

tooling, you only need to pay for the freight cost

Delivery time Samples time 3-5 working days, Lead time 20-25 working

days

Pricing Term EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.

Packing Bulk in PE bag or Small boxes.then in carton .pallet

Payment term TT (30% in advance as deposit, balance before delivery),

L/C, Western Union, PayPal etc

Management system ISO9001:2015
Certificate ISO,ROHS

Why Choose Us

Finish

NO1.Drive compariason



Our screws: cross recess drive remains intact after repeatedly used.





Bad screws on the market: cross recess drive cannot be used after repeatedly used, they may slip or tear out the Philips screw head.

NO2. Torque comparison



Our screws: Nylon patch is high quality, prevailing-torque is more

VS



prevailing-torque is 0 after it is screwed in and out for five times, nylon patch will peel off.

NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.



Bad screws on the market: bad finish, uneven coating, thread is oxided, the finish is blacked.

NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent,

NO5. Mechanical Properties comparison

VS



Our self tapping screws: our screws have high strength, enough hardness good toughness after heat treated, they won't be broken after bent



high strength and bad toughness.

Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

NO6. Corrosion Resistance Comparison of SUS304

VS



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxided, rusted and has good anti-corresion capacity.standard, they won't be broken after 90° bent, high strength, good toughness.





SUS304 screws on the market:
nickel chemical element content will
be less than 8, even doesn't have
nickel plated, which doesn't meet ISO
requirement. The finish will be oxided,
rusted and lose anti-corresion
capacity.

Company Profile











FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express,It is $3\sim5$ days.

Q4: What's your packing? What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

FINEX Finexpress Precision Manufacturing (dongguan) Co., Ltd

+86-13527934468

alianchen@finexfastener.com



e metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China