FINEX Finexpress Precision Manufacturing (dongguan) Co., Ltd metalscrewfastener.com

Black Zinc Plated Self-Tapping Screw with Partial Thread and No Pre-Drilling Required for Metal Fastening DIN Standard

Basic Information

• Place of Origin: Guangdong, China

• Brand Name: FinExpress

• Certification: ISO9001|ISO14001| IATF16949

Model Number: Tapping Screws

• Minimum Order Quantity: 30000

• Price: \$0.03/pieces 10000-49999 pieces

Packaging Details:
 1.1000pcs / plastic bag,20kgs/ carton ,then

put on the wood pallet,

2.Carton size:28cm*18cm*13cm,

3.Wood pallet

size:118cm*113cm,Weight:700~800Kg

Bulk:0.8 cubic

4. The weight of 20 FT Container: 20~25 Tons

5,As your requirements

Delivery Time: 7~15 Working Day
 Payment Terms: T/T,L/C,D/A,D/P

• Supply Ability: 500000000 Piece/Pieces per Week



Product Specification

Finish: Plain, Black Oxide, ZINC PLATED, Custom

Material: Stainless Steel, Steel

• Measurement System: INCH, Metric, Imperial (Inch)

Head Style: FlatStandard: DIN

Delivery Time: In Stock 7~15 Working Days, Customized

20~25 Working Days

Service: All Issues Will Be Noted Within 24hours

Advantages: Competitive Price With High Quality & Good

After-sales Service

• Tapping Screws Type: Drywall Screws Drywall To Drywall

Customized Support: OEM

MOQ: 1 Piece In Stock, 30,000 Pcs Customized
 Certificate: IATF16949/ISO9001:2015/ISO14001:2015

• Length: 13mm~180mm

TRakBakk Bi- i- zio- Bi- i- zio- Bi- i- zio-



More Images



Product Description

Black Zinc Plated Phillips Self-Tapping Screw – Large Flat Head & Partial Thread for Metal/Construction Fastening



Product Overview

Our Black Zinc Plated Phillips Self-Tapping Screw combines durability, ease of installation, and corrosion resistance for robust fastening in metal and construction applications. Featuring a large flat head for enhanced load distribution, a partial thread to prevent over-tightening, and a self-tapping tip for effortless penetration, this screw eliminates the need for pre-drilling. Ideal for sheet metal, HVAC systems, and structural assemblies, it ensures secure, long-lasting connections in demanding environments.

Key Features

Self-Tapping Design

Sharp, Fluted Tip: Drills and threads in one step, saving time on metal, plastic, or composite substrates.

No Pre-Drilling Required: Reduces labor and tooling costs.

Black Zinc Plating

Corrosion Resistance: Protects against rust, humidity, and industrial chemicals (RoHS/REACH compliant).

Aesthetic Finish: Sleek black appearance blends into machinery or outdoor structures.

Large Flat Head & Partial Thread

Wide Bearing Surface: Distributes pressure evenly to prevent material deformation.

Partial Thread: Ensures controlled grip and reduces thread stripping in thin materials.

Phillips Drive (PH2)

Tool Compatibility: Works with standard Phillips screwdrivers, drills, or impact drivers.

FINEX | Fine and Express @ T C

Click Here To Start Customizing Customizable Hole Shape











Pozi

Phillips

Anti-theft Triangle

Slotted

Hex Socket











Torx

Torx-internal Tamber proof pin

H type anti theft

Tri-wing

Two-Hole **Tamber proof**











One way anti theft

Square Slot Combination

Phillips Slot Combination

Slot 6 Lobe

Tri-wing internal Combination Tamber proof pin

Fine and Express FASTENERS OF C



Click Here To Start Customizing











Bule Zinc

Yellow Zinc

White Zinc

Black Zinc









Nickel Plated

Black Oxide

Anodizing

Dacromet









Black **Electrophoresis**

Antique Bronze

Green

Baking Finish







Specification

Available Material	1. Stainless Steel: SS303, SS304, SS316, SS410, SS420 2. Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045 3. Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70 4. Aluminum: Al6061, Al6063 etc or as your requirements
Head type	CSK Head, Pan Head, Truss Head, Hexagon Head, Round Head, Oval Head, Button Head, Cap Head, Cheese Head, etc.
Hardness	Carbon Steel: HRC:28~35, HV450~700 Alloy Steel: HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper, Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization, Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA), FOB, CIF, CNF, DDU, etc.
Packing	Bulk in PE bag or Small boxes, then in carton, pallet
Payment term	TT (30% in advance as deposit, balance before delivery), L/C, Western Union, PayPal etc
Management system	ISO9001:2015
Certificate	ISO, ROHS

Why Choose Us

NO1.Drive compariason



Our screws: cross recess drive remains intact after repeatedly used. VS



Bad screws on the market: cross recess drive cannot be used after repeatedly used, they may slip or tear out the Philips screw head.

NO2. Torque comparison



Our screws: Nylon patch is high quality, prevailing-torque is more

VS



Bad screws on the market: prevailing-torque is 0 after it is screwed in and out for five times, nylon patch will peel off.

NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance. VS



Bad screws on the market: bad finish, uneven coating, thread is oxided, the finish is blacked.

NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good



VS

Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent, high strength and bad toughness.

NO5. Mechanical Properties comparison VS Our self tapping screws: our screws have high strength, enough hardness, good toughness after heat treated, they won't be broken after bent. NO6. Corrosion Resistance Comparison of SUS304 Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxided, rusted and has good anti-corresion capacity standard, they

rusted and lose anti-corresion

Company Profile

FINEX

strength, good toughness.







FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg, Normally we use shipment to transport the orders. It is about 20-30 days. If the weight of goods less than 80kg, or there are urgent, we can send the goods via air express, It is 3~5 days.

Q4: What's your packing? What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.









metalscrewfastener.com

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China