Stainless Steel Swivel Eye Bolt – M8/M10/M12/M16 Corrosion-Resistant Pivot Lifting Bolt for Marine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:

Price:

- Minimum Order Quantity:
- · Packaging Details:
- Swivel Eye Bolt 30000 \$0.05/pieces 1000-29999 pieces 1.1000pcs / plastic bag,20kgs/ carton ,then put on the wood pallet, 2.Carton size:28cm*18cm*13cm, 3.Wood pallet size:118cm*113cm,Weight:700~800Kg Bulk:0.8 cubic 4. The weight of 20 FT Container: 20~25 Tons 5,As your requirements 7~15 Working Day T/T, L/C, D/A, D/P

Guangdong, China

ISO9001|ISO14001| IATF16949

Finexpress

- Delivery Time:
- Payment Terms:
- Supply Ability:

Product Specification

- Finish: ZINC, Plain, Custom, Plain, Nickel Plated, Zinc Plated, Passivation • Material: Stainless Steel, Steel, Custom, Stainless
 - Steel, Carbon Steel, Alloy Steel, Aluminum

ISO9001:2015, SGS, RoHs

OEM ODM Custom Service

15~25 Working Days

Shenzhen, Guangzhou

In Stock 5~7 Working Days, Customized

1 Piece In Stock, 30,000 Pcs Customized

M16 Stainless Steel Swivel Eye Bolt, M12 Stainless Steel Swivel Eye Bolt, M10 Stainless Steel Swivel Eye Bolt

PE+Carton +Pallet

50000000 Piece/Pieces per Week

- Non-standard
- 15mm~180mm
- Package:
- Certificate:

• Standard:

• Length:

- Service:
- Delivery Time:
- MOQ:
- Port:
- Highlight:



More Images





for more products please visit us on metalscrewfastener.com





Product Description

Stainless Steel Swivel Eye Bolt - M8/M10/M12/M16 Corrosion-Resistant Pivot Lifting Bolt for Marine

FINEX | Fine and Express FASTENERS 7 🐼 🗑 🖗



Product Overview

Our Stainless Steel Swivel Eye Bolt is engineered for safe, corrosion-resistant lifting, rigging, and anchoring in marine and industrial environments. Featuring a 360° swivel pivot to prevent load twisting and 316-grade (A4) stainless steel construction, this eye bolt resists saltwater, humidity, and harsh chemicals. Available in M8–M16 sizes with precise load ratings, it ensures reliability for marine equipment, docks, cranes, and dynamic lifting operations.

Key Features

316 Stainless Steel (A4 Marine Grade)

Superior Corrosion Resistance: Molybdenum-enhanced alloy withstands saltwater, chlorides, and acidic environments.

High Tensile Strength: 500–700 MPa tensile strength for heavy-duty lifting (ISO 3506 compliant).

360° Swivel Design

Twist-Free Load Handling: Smooth pivot action prevents cable/rope twisting during lifting or towing.

Reduced Wear: Swivel joint minimizes friction on rigging hardware, extending equipment lifespan.

Precision Machined Threads

Metric Coarse Threads: M8×1.25mm, M10×1.5mm, M12×1.75mm, M16×2.0mm for secure fastening.

Load-Optimized: Working Load Limits (WLL) tailored to each size (see specs below).


Safety & Compliance

Rated Load Capacity: Tested to ISO 3266 standards for lifting applications.

Tamper-Proof: Laser-etched WLL markings for traceability and safety compliance.








Head type	CSK Head,Pan Head,Truss Head,Hexagon Head,Round Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.
Hardness	Carbon Steel:HRC:28~35 ,HV450~700 Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)
Finish	Zinc plated, Nickel plated, Bronze, Copper,Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome, Silver, Phosphorization,Zinc-nickel alloy plated etc.
Sample Available	The sample is free of charge if we have the existing tooling, you only need to pay for the freight cost
Delivery time	Samples time 3-5 working days, Lead time 20-25 working days
Pricing Term	EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.
Packing	Bulk in PE bag or Small boxes.then in carton .pallet
Payment term	TT (30% in advance as deposit, balance before delivery) , L/C, Western Union,PayPal etc
Management system	ISO9001:2015
Certificate	ISO,ROHS
Why Choose Us	

Why Choose Us?

OEM/ODM Support: Full custom packaging, branding, and documentation.
Quality Assurance: ISO 9001-certified with full material traceability and testing (salt-spray, torque, tensile).
Flexible MOQs: Prototype batches to large-scale production.
Fast Turnaround: 10–15 days for standard orders; expedited options available.

NO1.Drive compariason









Partners and Exhibitions 💈 💿 🖥 🔿

















FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg,Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg,or there are urgent, we can send the goods via air express, It is $3 \sim 5$ days.

Q4: What's your packing?What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

