

Steel Material Black Zinc Hex Socket Half Dog Point Grub Screw for Precise Fastening

Basic Information

• Place of Origin: Guangdong, China

Brand Name: FinExpress

Model Number: FinExpress Set Screws

Minimum Order Quantity: 30000

• Price: \$0.01/pieces 10000-29999 pieces

Packaging Details: 1.1000pcs / plastic bag,20kgs/ carton ,then

put on the wood pallet,

2.Carton size:28cm*18cm*13cm,

3.Wood pallet

size:118cm*113cm,Weight:700~800Kg

Bulk:0.8 cubic

4. The weight of 20 FT Container: 20~25 Tons

5,As your requirements

Delivery Time: 7~15 Working Day
 Payment Terms: L/C,D/A,D/P,T/T

Supply Ability: 500000000 Piece/Pieces per Week



Product Specification

• Finish: Plain, Black Oxide, ZINC PLATED

Material: SteelMeasurement System: Metric

Head Style: Headless, flat Point, Cone, Ball Point

Standard: Non-standard

MOQ: 1 Piece In Stock, 30,000 Pcs Customized
 Package: Small Packing+Carton Packing+Pallet
 Delivery Time: In Stock 5~7 Working Days, Customized

15~25 Working Days

Service: OEM ODM Custom Service

• Length: 1mm~500mm

• Certificate: ISO9001:2015, SGS, RoHs

Drive Type: Socket / Slotted

• Highlight: Half Dog Point Grub Screw,

Black Zinc Grub Screw, Precise Fastening Grub Screw



More Images







Product Description

Free Sample Black Zinc Hex Socket Half Dog Point Grub Screw



Product Overview

Our Black Zinc Hex Socket Half Dog Point Grub Screws are precision-engineered fasteners designed for maximum durability and secure fastening in high-stress environments. Featuring a hex socket (Allen key) drive, half dog point, and a black zinc coating, these screws combine exceptional tensile strength with corrosion resistance.

Request your free sample today to test quality and performance before placing a bulk order! Ideal for securing gears, pulleys, shafts, and other critical components in machinery, automotive systems, and industrial equipment.

Technical Specifications

Parameter	Details
Grade	12.9 (Tensile Strength: 1200 MPa)
Head Type	Hexagon Socket (Allen) Head
Point Type	Half Dog Point
Material	High-Strength Carbon Steel (Grade 12.9)
Surface Finish	Black Zinc Coating (Corrosion Resistant)
Diameter Range	M3-M30
Length Range	6mm-150mm
Applications	Automotive, industrial machinery, aerospace, robotics, and heavy equipment

Applications

These set screws are widely used in:

Automotive Manufacturing: Securing transmission components, bearings, and drive shafts.

Industrial Machinery: Fastening pulleys, couplings, and motor parts under high torque.

Aerospace & Defense: Critical fastening in aircraft engines, landing gear, and hydraulic systems.

Heavy Equipment: For construction machinery, mining tools, and agricultural equipment.

Automation & Robotics: Ensuring vibration-resistant fastening in robotic arms and conveyor systems.

Why Choose Our Grub Screws?

Unmatched Strength: Grade 12.9 ensures maximum load-bearing capacity and fatigue resistance.

Corrosion Protection: Black zinc coating extends service life in humid, chemical, or outdoor environments.

Precision Engineering: ISO/DIN-compliant dimensions for seamless integration into global projects.

Cost-Effective: Competitive pricing with bulk order discounts (minimum 500 pieces).

Combination

anti theft

Trusted Supplier: Produced by Jiangsu Xinzhenya Metal Technology Co., Ltd., a leader in premium fastener manufacturing.



Combination

Combination Tamber proof pin



FINEX | Fine and Express FASTENERS ▼ ◎ 〒 ○

Click Here To Start Customizing Customizable Head Shape



Pan head Socket head Hex head Csk head Round head



Square head Wafer head Pan washer Flange Head Oval Head



Knurled head Truss head Custom head Button Head







What We Produce is Not Just a Screw. We Provide a Guarantee of Secure Fastening









Specification

More Detail Informations

1.Stainless Steel: SS303, SS304, SS316, SS410, SS420;

2.Carbon steel: C1006,C1010,C1018,C1022,C1035K,C1045;

3.Brass: C3602,C3604,Hpb59,Hpb62,Hpb65,Hpb58,Hpb70;

4. Aluminum: Al6061, Al6063 etc

or as your requirements

Head type

CSK Head,Pan Head,Truss Head,Hexagon Head,Round
Head,Oval Head,Button Head,Cap Head,Cheese Head,etc.

Hardness Carbon Steel:HRC:28~35 ,HV450~700

Alloy Steel:HRC:32~39(grade10.9) HRC:39~44(grade12.9)

Zinc plated, Nickel plated, Bronze, Copper, Phosphate, Oxidation black, Passivation, Tin, Dacromet, Gold, Chrome,

Silver,

Phosphorization,Zinc-nickel alloy plated etc.

Sample Available

The sample is free of charge if we have the existing

tooling, you only need to pay for the freight cost

Delivery time Samples time 3-5 working days, Lead time 20-25 working

days

Pricing Term EXW Dongguan(FCA),FOB, CIF, CNF, DDU,etc.

Packing Bulk in PE bag or Small boxes.then in carton .pallet

TT (30% in advance as deposit, balance before delivery),

L/C, Western Union, PayPal etc

Management system ISO9001:2015
Certificate ISO,ROHS

Why Choose Us

Payment term

Finish

NO1.Drive compariason



NO2. Torque comparison



NO3.Screw Plating Comparison



Our screws: good finish, clear thread, even coating, bright appearance.



Bad screws on the market: bad finish, uneven coating, thread is oxided, the finish is blacked.

NO4.Screw Material Comparison



Our screws: we use quality carbon steel material, Chemical Element content in Steel meets the requirement of ISO standard, they won't be broken after 90° bent, high strength, good



Bad screws on the market: bad carbon steel material, Chemical Element content in Steel doesn't meet the requirement of ISO standard, they will be easily broken after 90° bent,

NO5. Mechanical Properties comparison

VS



Our self tapping screws: our screws have high strength, enough hardness good toughness after heat treated, they won't be broken after bent



high strength and bad toughness.

Bad screws on the market: they have high strength and bad toughness, thread will easily be broken, because the screws are not tempered.

NO6. Corrosion Resistance Comparison of SUS304

VS



Our SUS304 screws: nickel chemical element content won't be less than 8, meets ISO requirement. The finish won't be oxided, rusted and has good anti-corresion capacity.standard, they won't be broken after 90° bent, high strength, good toughness.





SUS304 screws on the market:
nickel chemical element content will
be less than 8, even doesn't have
nickel plated, which doesn't meet ISO
requirement. The finish will be oxided,
rusted and lose anti-corresion
capacity.

Company Profile











FAQ

Q1: What is your main products and material supply?

A1: Our main products are Electronic screws, Sems screws, Tapping screws, Chicago screws, Shoulder screws etc. Special Non-standard studs, Turning parts and High-end precision complex CNC Machining parts etc.

A2: Carbon Steel, Alloy Steel, Aluminum alloy, Stainless Steel, Brass, Copper, Titanium alloy or according to your requirement.

Q2: When can I get the price?

A: We usually offer you a quotation within 12 hours, and the special offer is not more than 24 hours. Any urgent cases, please contact us directly by phone or send email to us.

Q3: What about the transportation and delivery date?

A: If the weight of goods more than 80kg, Normally we use shipment to transprot the orders. It is about 20-30days . If the weight of goods less than 80kg or there are urgent, we can send the goods via air express, It is 3~5 days.

Q4: What's your packing? What to do in case of damaged goods during transport?

A1: Our Normal packing is bulking in Cartons, less than 20 kgs/carton, 48 cartons / pallet. We also can pack products according to your requirement.

A2: To avoid any subsequent trouble regarding quality issue, we suggest you check the goods once you receive them. If there is any transport damaged or quality issue, don't forget take the detail pictures and contact us as soon as possible, we will properly handle it to make sure your loss to reduce to the smallest.

Q5: Can I get discounts?

A: Yes, for big order, frequent customers, we give reasonable discounts.

Q6: Do you have enough capacity?

A: Our production equipment is a new imported equipment. We have a group of skilled workers who have been working for more than 10 years. Their production experience is very rich and their skills are very skilled. The screws can be 30 million pcs/month. We have sufficient funds to ensure the normal operation of the factory.

Building 2, No. 129 Xinmalian Xinma Road, Dalang Town, Dongguan, Guangdong, China